



*The Solution!*

# FASTENER DRIVE TOOL

Insert Bit / Power Bit  
Impact Driver Bit / Bit Set





## Magnetic Power Nutsetter

### ■ Magnetic Power Nutsetter – 1/4" Hex x 45mm L



Item No.	Hex Drive		KGS
<b>Metric</b>			
448-541	5.5 mm	50	0.9
448-542	6 mm	50	0.9
448-543	7 mm	50	0.9
448-544	8 mm	50	1.0
448-545	9 mm	50	1.0
448-546	10 mm	50	1.2
448-547	11 mm	50	1.5
448-548	12 mm	50	1.5
448-549	13 mm	30	0.9
448-550	14 mm	30	1.5

#### SAE

448-502	1/4"	50	0.9
448-504	5/16"	50	1.0
448-506	3/8"	50	1.2
448-507	7/16"	50	1.5
448-509	1/2"	30	0.9
448-510	9/16"	30	1.5

### ■ Magnetic Power Nutsetter – 1/4" Hex x 65mm L



Item No.	Hex Drive		KGS
<b>Metric</b>			
448-561	5.5 mm	30	0.7
448-562	6 mm	30	0.7
448-563	7 mm	30	0.7
448-564	8 mm	30	0.8
448-565	9 mm	30	1.0
448-566	10 mm	30	1.0
448-567	11 mm	30	1.4
448-568	12 mm	30	1.4
448-569	13 mm	30	1.5
448-570	14 mm	30	1.7

#### SAE

448-522	1/4"	30	0.7
448-524	5/16"	30	0.8
448-526	3/8"	30	1.0
448-527	7/16"	30	1.4
448-529	1/2"	30	1.5
448-530	9/16"	30	1.7

## Ball-Lock Socket Adapter, Magnetic Bit Holder



### Ball-Lock Socket Adapter – 1/4" Hex

Item No.	Square Drive	Overall Length		KGS
<b>SAE</b>				
448-581	1/4"	25 mm L	100	1.0
448-582	1/4"	50 mm L	50	0.8
448-583	1/4"	65 mm L	50	1.0
448-585	3/8"	50 mm L	50	1.4
448-586	3/8"	65 mm L	50	1.6
448-588	1/2"	72 mm L	25	1.0



### One-Piece Stainless Steel Magnetic Bit Holder – 1/4" Hex

Item No.	Bit Drive	Overall Length		KGS
<b>SAE</b>				
448-941	1/4"	60 mm L	50	1.2
448-942	1/4"	75 mm L	50	1.7



### Stainless Steel Housing Magnetic Bit Holder – 1/4" Hex

Item No.	Bit Drive	Overall Length		KGS
<b>SAE</b>				
448-961	1/4"	60 mm L	50	1.2
448-962	1/4"	75 mm L	50	1.6
448-963	1/4"	100 mm L	25	1.0
448-964	1/4"	150 mm L	25	1.3

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



## Insert Bit – 25mm L

### ■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

#### Phillips



444-200	PH0	10	0.07
444-201	PH1	10	0.07
444-202	PH2	10	0.07
444-203	PH3	10	0.07

#### Slotted



444-213	3 mm	10	0.07
444-214	4 mm	10	0.07
444-215	4.5 mm	10	0.07
444-216	5 mm	10	0.07
444-217	5.5 mm	10	0.07
444-218	6 mm	10	0.07
444-219	6.5 mm	10	0.07
444-220	7 mm	10	0.08
444-221	8 mm	8	0.09
444-222	10 mm	8	0.11

#### Hex – Metric



444-245	1.5 mm	10	0.07
444-246	2 mm	10	0.07
444-247	2.5 mm	10	0.07
444-248	3 mm	10	0.07
444-249	4 mm	10	0.07
444-250	5 mm	10	0.08
444-251	5.5 mm	10	0.08
444-252	6 mm	10	0.08
444-253	7 mm	10	0.08
444-254	8 mm	8	0.08
444-255	10 mm	8	0.14

#### Hex – SAE

444-231	1/16"	10	0.07
444-232	5/64"	10	0.07
444-233	3/32"	10	0.07
444-234	7/64"	10	0.07
444-235	1/8"	10	0.07
444-236	9/64"	10	0.07
444-237	5/32"	10	0.08
444-238	3/16"	10	0.08
444-239	7/32"	10	0.08
444-240	1/4"	10	0.08
444-242	5/16"	8	0.08
444-243	3/8"	8	0.14

## Insert Bit – 25mm L

### ■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
<b>Hex Tamperproof – Metric</b>			
444-285	1.5 mm	10	0.07
444-286	2 mm	10	0.07
444-287	2.5 mm	10	0.07
444-288	3 mm	10	0.07
444-289	4 mm	10	0.07
444-290	5 mm	10	0.08
444-291	5.5 mm	10	0.08
444-292	6 mm	10	0.08
444-293	7 mm	10	0.08
444-294	8 mm	8	0.08
444-295	10 mm	8	0.14



Hex Tamperproof

### Hex Tamperproof – SAE

444-271	1/16"	10	0.07
444-272	5/64"	10	0.07
444-273	3/32"	10	0.07
444-274	7/64"	10	0.07
444-275	1/8"	10	0.07
444-276	9/64"	10	0.07
444-277	5/32"	10	0.08
444-278	3/16"	10	0.08
444-279	7/32"	10	0.08
444-280	1/4"	10	0.08
444-281	5/16"	8	0.08
444-282	3/8"	8	0.14

### POZIDRIV®

444-340	PZ0	10	0.07
444-341	PZ1	10	0.07
444-342	PZ2	10	0.07
444-343	PZ3	10	0.07
444-344	PZ4	10	0.08



POZIDRIV®

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



## Insert Bit – 25mm L

### ■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
<b>TORX®</b>			
444-301	T5	10	0.04
444-302	T6	10	0.04
444-303	T7	10	0.04
444-304	T8	10	0.04
444-305	T9	10	0.04
444-306	T10	10	0.04
444-307	T15	10	0.04
444-308	T20	10	0.05
444-309	T25	10	0.05
444-310	T27	10	0.05
444-311	T30	10	0.05
444-313	T40	10	0.06
444-314	T45	8	0.07
444-315	T50	8	0.08



### TORX® Tamperproof

444-321	T5	10	0.04
444-322	T6	10	0.04
444-323	T7	10	0.04
444-324	T8	10	0.04
444-325	T9	10	0.04
444-326	T10	10	0.04
444-327	T15	10	0.05
444-328	T20	10	0.05
444-329	T25	10	0.05
444-330	T27	10	0.05
444-331	T30	10	0.05
444-332	T35	10	0.06
444-333	T40	10	0.06
444-334	T45	8	0.07
444-335	T50	8	0.08



## Insert Bit – 25mm L

### ■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
<b>TORQ-SET®</b>			
444-351	TS6	10	0.07
444-352	TS8	10	0.07
444-353	TS10	10	0.08



### Spanner®

444-355	SP4	10	0.07
444-356	SP6	10	0.07
444-357	SP8	10	0.07
444-358	SP10	10	0.07



### TRI-WING®

444-361	TW1	10	0.07
444-362	TW2	10	0.07
444-363	TW3	10	0.07
444-364	TW4	10	0.07



### Square Recess

444-370	S0	10	0.07
444-371	S1	10	0.07
444-372	S2	10	0.07
444-373	S3	10	0.07



### Clutch C

444-381	C1 (1/8")	10	0.07
444-382	C2 (5/32")	10	0.07
444-383	C3 (3/16")	10	0.07



### Spline

444-385	M5	10	0.07
444-386	M6	10	0.07
444-387	M8	10	0.08



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



## Insert Bit – 36mm L , Power Bit – 50mm L

### ■ Insert Bit – 5/16" Hex x 36mm L



Item No.	Tip Size		KGS
<b>Abrasive Blasting Hex</b>			
444-849	4 mm	10	0.12
444-850	5 mm	10	0.14
444-852	6 mm	10	0.15

### ■ Power Bit – 1/4" Hex x 50mm L



Item No.	Tip Size		KGS
<b>Phillips</b>			
444-400	PH0	10	0.15
444-401	PH1	10	0.15
444-402	PH2	10	0.15
444-403	PH3	10	0.16
444-404	PH4	10	0.17

### ■ Round Shank Power Bit – 1/4" Hex x 50mm L



Item No.	Tip Size		KGS
<b>Phillips</b>			
444-600	PH0	10	0.15
444-601	PH1	10	0.15
444-602	PH2	10	0.15
444-603	PH3	10	0.16
444-604	PH4	10	0.17



Item No.	Tip Size		KGS
<b>Slotted</b>			
444-613	3 mm	10	0.14
444-614	4 mm	10	0.14
444-615	4.5 mm	10	0.14
444-616	5 mm	10	0.14
444-618	6 mm	10	0.14
444-620	7 mm	10	0.15
444-621	8 mm	8	0.16
444-622	10 mm	8	0.23

## Power Bit – 50mm L

### ■ Round Shank Power Bit – 1/4" Hex x 50mm L



Hex

Item No.	Tip Size		KGS
<b>Hex – Metric</b>			
444-645	1.5 mm	10	0.14
444-646	2 mm	10	0.14
444-647	2.5 mm	10	0.14
444-648	3 mm	10	0.14
444-649	4 mm	10	0.14
444-650	5 mm	10	0.14
444-651	5.5 mm	10	0.14
444-652	6 mm	10	0.14
444-653	7 mm	10	0.15
444-654	8 mm	8	0.16
444-655	10 mm	8	0.24

### Hex – SAE

444-631	1/16"	10	0.14
444-632	5/64"	10	0.14
444-633	3/32"	10	0.14
444-634	7/64"	10	0.14
444-635	1/8"	10	0.14
444-636	9/64"	10	0.14
444-637	5/32"	10	0.14
444-638	3/16"	10	0.14
444-639	7/32"	10	0.14
444-640	1/4"	10	0.15
444-641	9/32"	10	0.15
444-642	5/16"	8	0.16
444-643	3/8"	8	0.24

### TORX® Tamperproof



TORX® Tamperproof

444-726	T10	10	0.14
444-727	T15	10	0.14
444-728	T20	10	0.14
444-729	T25	10	0.14
444-730	T27	10	0.15
444-731	T30	10	0.15
444-733	T40	10	0.16
444-734	T45	8	0.21
444-735	T50	8	0.21

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



## Power Bit – 50mm L / 150mm L, Double End Power Bit



### ■ Round Shank Power Bit – 1/4" Hex x 100mm L

Item No.	Tip Size	Overall Length		KGS
----------	----------	----------------	--	-----

#### Abrasive Blasting Hex

444-675	5 mm	100 mm L	10	0.25
---------	------	----------	----	------



### ■ Magnetic Ball End Power Bit – 1/4" Hex x 150mm L

Item No.	Tip Size	Overall Length		KGS
----------	----------	----------------	--	-----

#### Abrasive Blasting

444-685	5 mm	150 mm L	10	0.35
---------	------	----------	----	------



Phillips

### ■ Double End Power Bit – 1/4" Hex

Item No.	Tip Size	Overall Length		KGS
----------	----------	----------------	--	-----

#### Phillips

448-649	PH1	45 mm L	10	0.09
448-650	PH2	45 mm L	10	0.09
448-648	PH1	65 mm L	10	0.15
448-651	PH2	65 mm L	10	0.15
448-652	PH3	65 mm L	10	0.15
448-659	PH2	110 mm L	10	0.27
448-653	PH3	110 mm L	10	0.27
448-660	PH2	150 mm L	10	0.37
448-655	PH3	150 mm L	10	0.37



Phillips

#### Abrasive Blasting Phillips

448-671	PH2	75 mm L	10	0.20
448-674	PH2	100 mm L	10	0.30

## Impact Driver Bit



Phillips



Slotted

### ■ Impact Driver Bit – 5/16" Hex x 36mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

#### Phillips

448-361	PH1	10	0.15
448-362	PH2	10	0.15
448-363	PH3	10	0.15
448-364	PH4	10	0.15

#### Slotted

448-368	8 mm	10	0.14
448-370	10 mm	10	0.20
448-371	12 mm	10	0.30



Phillips



Slotted

### ■ Impact Driver Bit – 5/16" Hex x 80mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

#### Phillips

448-801	PH1	10	0.35
448-802	PH2	10	0.35
448-803	PH3	10	0.35
448-804	PH4	10	0.35

#### Slotted

448-808	8 mm	10	0.35
448-810	10 mm	10	0.45



Phillips

### ■ Impact Driver Bit – 5/16" Hex x 80mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

#### Abrasive Blasting Phillips

448-832	PH2	10	0.40
448-833	PH3	10	0.35

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER  
DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND  
WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Blow Mold Box

### ■ 5 Pc. CrV Impact Driver Set with Bits

Item No.		KGS
448-106	1	1.0
<ul style="list-style-type: none"> <li>● Impact Driver Handle</li> <li>● 4 Impact Drive Bits : (5/16" Hex x 80mm L)                             <ul style="list-style-type: none"> <li>⊕ Phillips : PH2, PH3</li> <li>⊖ Slotted : 8mm, 10mm</li> </ul> </li> </ul>		



Blow Mold Box

### ■ 5 Pc. Impact Driver Set with Bits

Item No.		KGS
448-005	1	0.9
<ul style="list-style-type: none"> <li>● Impact Driver Handle</li> <li>● 4 Impact Drive Bits : (5/16" Hex x 36mm L)                             <ul style="list-style-type: none"> <li>⊕ Phillips : PH2, PH3</li> <li>⊖ Slotted : 8mm, 10mm</li> </ul> </li> </ul>		



Blow Mold Box

### ■ 14 Pc. Impact Driver Set with Bits

Item No.		KGS
448-014	1	1.3
<ul style="list-style-type: none"> <li>● Impact Driver Handle</li> <li>● 3/8" Drive Adapter : (3/8" Hex x 30mm L)</li> <li>● 12 Impact Drive Bits : (5/16" Hex x 36mm L)                             <ul style="list-style-type: none"> <li>⊕ Phillips : PH1, PH2, PH3, PH4</li> <li>⊖ Slotted : 5mm, 6mm, 8mm, 10mm</li> <li>○ Hex : 4mm, 5mm, 6mm, 8mm</li> </ul> </li> </ul>		



Blow Mold Box

### ■ 40 Pc. Impact Driver Bit Set

Item No.		KGS
448-040	1	1.8
<ul style="list-style-type: none"> <li>● 2 Impact Bit Holders : 3/8" Dr. x 10mm Hex 1/2" Dr. x 10mm Hex</li> <li>● 19 Impact Driver Bits : 10mm Hex x 75mm L                             <ul style="list-style-type: none"> <li>○ Hex : 4, 5, 6, 7, 8, 10, 12 mm</li> <li>○ Spline : M5, M6, M8, M10, M12</li> <li>⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55</li> </ul> </li> <li>● 19 Impact Driver Bits : 10mm Hex x 30mm L                             <ul style="list-style-type: none"> <li>○ Hex : 4, 5, 6, 7, 8, 10, 12 mm</li> <li>○ Spline : M5, M6, M8, M10, M12</li> <li>⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55</li> </ul> </li> </ul>		

## Fastener Drive Set

### 31 Pc. Screwdriver Bit Set



Item No.		KGS
444-001	6	0.38

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bits : (1/4" Hex x 25mm L)
  - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ3
  - ⊕ Phillips : PH0, PH1, PH2, PH2, PH3
  - Hex : 2, 3, 4, 5, 6 mm
  - ⊖ Slotted : 3, 4, 5, 6, 7 mm
  - ⊕ TORX® : T6, T8, T10, T15, T20, T25, T27, T30, T40

### 31 Pc. Screwdriver Bit Set



Item No.		KGS
444-002	6	0.38

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bit : (1/4" Hex x 25mm L)
  - Spline : M5, M6, M8
  - ⊕ TORQ-SET® : TS6, TS8, TS10
  - ⊕ TRI-WING® : TW1, TW2, TW3, TW4
  - ⊖ Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
  - ⊕ Spanner : SP4, SP6, SP8, SP10
  - ⊕ TORX® Tamperproof : T6, T8, T10, T15, T20, T25, T27, T30, T40

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



■ 61 Pc. 1/4" Dr. Socket & Bit Set



Blow Mold Box

Item No.		KGS
487-011	1	1.2
<ul style="list-style-type: none"> <li>● 12 Metric Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm</li> <li>● 10 SAE Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"</li> <li>● 35 Insert Bits : (1/4" Hex x 25mm L)                             <ul style="list-style-type: none"> <li>● Slotted : 3, 4, 5, 6, 7 mm</li> <li>⊕ Phillips : PH0, PH1, PH2, PH2, PH2, PH3</li> <li>⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ3</li> <li>○ Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm</li> <li>⊕ TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40</li> </ul> </li> <li>● Flexible Ratchet Screwdriver Handle</li> <li>● Extension : 3"</li> <li>● Magnetic Bit Holder : 1/4" Hex x 60mm L</li> <li>● Adapter : 1/4" Hex x 1/4" Sq.</li> </ul>		

■ 100 Pc. Screwdriver Bit Set



Blow Mold Box

Item No.		KGS
499-061	1	0.8
<ul style="list-style-type: none"> <li>● Magnetic Bit Holder : 1/4" Hex Dr. x 1/4" Hex Holder x 60mm L</li> <li>● 2 Socket Adapters : 1/4" Sq. Dr. &amp; 1/4" Hex x 25mm L 1/4" Sq. Dr. &amp; 1/4" Hex x 50mm L</li> <li>● Bit Adapter : 1/4" Dr. x 1/4" Hex</li> <li>● Y Type Spanner</li> <li>● 95 Insert Bits , 1/4" Hex x 25mm L                             <ul style="list-style-type: none"> <li>⊕ Phillips : PH0, PH1, PH2, PH2, PH2, PH2, PH2, PH3</li> <li>⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ2, PZ2, PZ2, PZ3</li> <li>● Slotted : 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm</li> <li>⊕ TORX® : T8, T10, T15, T20, T25, T27, T30, T40, T45</li> <li>⊕ TORX® Tamperproof : T8, T10, T15, T20, T25, T27, T30, T35, T40</li> <li>○ Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm</li> <li>○ Hex : 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"</li> <li>⊕ Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm</li> <li>⊕ Hex Tamperproof : 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"</li> <li>⊕ Spanner : SP4, SP6, SP8, SP10</li> <li>⊕ TRI-WING® : TW1, TW2, TW3, TW4</li> <li>⊕ TORQ-SET® : TS6, TS8, TS10</li> <li>○ Square Recess : S0, S1, S2, S3</li> <li>○ Spline : M5, M6, M8</li> <li>● Clutch C : C1, C2, C3</li> </ul> </li> </ul>		