


HAND TOOL TOOL SET

Pliers / Locking Pliers / Cutter / Hammer
Punch / Measure / Clamp / Storage / Tool Set

STORAGE

Chest / Wagon / Trolley




7 Drawer Wagon with Auto-Repairing Tools

890-501


Drawer 1

- 
- 12 Sockets - 1/4" Dr. 6 Pt. :
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
 - 11 Sockets - 1/4" Dr. 12 Pt. :
5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32",
3/8", 7/16", 1/2", 9/16"
 - 12 Deep Sockets - 1/4" Dr. 6 Pt. :
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
 - 4 E Sockets - 1/4" Dr. : E4, E5, E6, E8
 - 21 Bit Sockets - 1/4" Dr. :
 - TORX® : T10, T15, T20, T25, T27, T30, T40
 - Hex : 3, 4, 5, 6, 7, 8 mm
 - Phillips : PH1, PH2, PH3
 - Slotted : 4, 5.5, 6.5, 7, 8 mm
 - 1/4" Dr. Quick Release Ratchet 6"
 - 1/4" Dr. Flex Handle 6"
 - 1/4" Dr. Extension 2" & 4"
 - 1/4" Dr. Sliding T Bar 4-1/2"
 - 1/4" Dr. Spinner 6"
 - 1/4" Dr. Universal Joint
 - 9 Pc. Ball End Hex Wrench Set, Metric, Long
 - 9 Pc. TORX® Tamperproof Wrench Set, Long
 - 3/8" Dr. Spark Plug Sockets : 16, 18, 21 mm

- 
- 16 Sockets - 3/8" Dr. 6 Pt. :
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 20, 22, 23, 24 mm
 - 18 Bit Sockets - 3/8" Dr. :
 - TORX® Tamperproof : T15, T20, T25, T27, T30, T40, T45, T50
 - Hex : 5, 6, 7, 8, 10 mm
 - Phillips : PH1, PH2, PH3
 - Slotted : 5.5 & 8 mm
 - 3/8" Dr. Torque Wrench 14" 108 N-m (80 ft-lb)
 - 3/8" Dr. Extension 3", 6", 8", 10"
 - 3/8" Dr. Universal Joint
 - 3/8" Dr. Flex Handle 8"
 - 3/8" Dr. Sliding T Bar 8"
 - 3/8" Quick Release Ratchet 8"
 - 3/8" 2-Way L Handle 8"

Drawer 2

- 
- 23 Sockets - 1/2" Dr. 6 Pt. :
8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21, 22, 23, 24, 25, 26,
27, 28, 30, 32 mm
 - 1/2" Dr. Flex Handle 15"
 - 1/2" Dr. Extension 3", 5", 10"
 - 1/2" Dr. Universal Joint
 - 1/2" Quick Release Ratchet (Pear Head) 10"
 - 1/2" Dr. Sliding T Bar 12"

- 
- 17 Deep Sockets - 1/2" Dr. 12 Pt. :
10, 11, 12, 13, 14, 15, 16, 17, 18,
19, 20, 22, 23, 24, 27, 30, 32 mm
 - 9 E Sockets - 1/2" Dr. :
E10, E11, E12, E14, E16, E18, E20,
E22, E24
 - 1/2" Dr. Spark Plug Sockets : 16, 18, 21 mm

Drawer 3



Impact Hex Bolster Screwdrivers :

- ⊕ PH3 x 150mm, PH2 x 100mm
- ⊖ 8 x 150mm, 6.0 x 100mm

Non-Slip Power Screwdrivers :

- ⊕ PH1 x 75mm, PH0 x 75mm
- ⊖ 5.0mm x 75mm, 3.2mm x 75mm

Stubby Screwdrivers :

- ⊕ PH2 x 38mm L
- ⊖ 6.0mm x 38mm L

Magnetic Bits Holder 4"

Adjustable Wrench 10"

Heavy Duty Curved Jaw Locking Pliers - CW10"

Snap Ring Pliers - External Straight Jaws 7"

Snap Ring Pliers - Internal Straight Jaws 7"

Snap Ring Pliers - External 90 Degree Bent Jaws 7"

Snap Ring Pliers - Internal 90 Degree Bent Jaws 7"

Slip Joint Pliers 8"

Lineman's Pliers 8"

Long Nose Pliers 7-1/2"

Diagonal Cutting Pliers 7-1/2"

Water Pump Pliers - Box Joint 10"

Magnetic Power Nutsetter 1/4" Hex x 8mm Hex x 45mm L

Ball - Lock Socket Adapter 1/4" Hex x 1/4" Sq. x 50mm L

13-Pc Thickness Gauge



Drawer 4



8 Box End Wrenches - 12 Pt. :

- 6 x 7 mm, 8 x 9 mm, 10 x 12 mm,
- 11 x 13 mm, 14 x 17 mm, 19 x 21 mm,
- 21 x 23 mm, 22 x 24 mm


13 Thin Combination Wrenches -12 Pt. :

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

3 Flare Nut Wrenches - 6 Pt. :

- 14 x 17 mm, 16 x 18 mm, 17 x 19 mm

2 Adjustable Wrenches : 8" & 12"



12 Combination Wrenches - 12 Pt. :

- 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

6 Star Wrenches :

- E6 x E8, E7 x E11, E10 x E12, E14 x E18,
- E16 x E22, E20 x E24

4 Flare Nut Wrenches - 6 Pt. :

- 8 x 9 mm, 10 x 11 mm, 10 x 12 mm, 11 x 13 mm

Drawer 5



37 Impact Sockets - 1/2" Dr. :

- 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22,
- 23, 24, 25, 26, 27, 29, 30, 32 mm
- Hex Head : 5, 6, 8, 10, 12, 14, 17, 19 mm
- TORX® : T25, T27, T30, T40, T45, T50, T55, T60



12 Deep Impact Sockets - 1/2" Dr. :

- 10, 11, 12, 13, 14, 15, 27, 30, 32, 34, 35, 36 mm

6 Thin Deep Impact Sockets - 1/2" Dr. :

- 17, 19, 21, 22, 23, 24 mm

1/2" Dr. Impact Extension 3" & 5"

1/2" Dr. Impact Universal Joint

Drawer 6

- Heavy Duty Pipe Wrench 12"
- Ball Pein Hammer 1 Lb.
- 2-Way Plastic Rubber Hammer



85 Pc. Tool Set

- ▶ 16 Sockets - 3/8" Dr., 6 Pt. :
9, 10, 11, 12, 13, 14, 15, 17, 19 mm &
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 19 Sockets - 1/4" Dr., 6 Pt. :
4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm &
3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 20 Insert Bits - 1/4" Hex, 25mm L
 - Hex : 2, 3, 4, 5, 6 mm
 - Slotted : 3, 4, 5, 6, 7 mm
 - ⊕ Phillips : PH0, PH1, PH2, PH3
 - ⊙ TORX® : T10, T15, T20, T25, T27, T30
- 2 Plastic Bit Holders
- 9 Pc. Hex Wrench Set
- Measuring Tape : 5.0m
- 1/4" Dr. 2-Way L Handle, 6"
- 1/4" Dr. 1/4" Hex Bit Adapter
- 3/8" Dr. Ratchet, 8" Round Head
- 3/8" Dr. Extension, 3"
- 3/8" F x 1/4" M Adapter
- 3/8" Dr. 1/4" Hex Bit Adapter
- 3/8" Dr. Spark Plug Socket, 16mm (5/8")
- 1/4" Ratchet Screwdriver Handle

- ▶ Retractable Knife
- Claw Hammer with Wood Handle : 3/4 Lb.
- Adjustable Wrench : 8"
- ▶ Flat File : 8"
- Cushion Grip Screwdriver : ⊕ PH2 x 100mm L
- Cushion Grip Screwdriver : ● 6 x 100mm L
- 2-Way Stubby Screwdriver Set
- Lineman's Pliers : 7"
- Long Nose Pliers : 6-1/2"

MECHANIC TRUSTER

52 Pc. Tool Set



999-000

- ▶ 6 Open End Wrenches
6 x 7 mm, 8 x 9 mm, 10 x 12 mm, 12 x 14 mm, 14 x 17 mm, 17 x 19 mm
- 5 Box End Wrenches
8 x 9 mm, 10 x 12 mm, 12 x 14 mm, 14 x 17 mm, 17 x 19 mm
- 4 Combination Wrenches
10 mm, 12 mm, 14 mm, 17 mm
- ▶ 5 Cushion Grip Impact Screwdrivers : ● 6.0 x 100 mm, 8.0 x 150 mm, 8.0 x 200 mm
⊕ PH2 x 100 mm, PH3 x 150 mm
- 2 Mechanical Screwdrivers : ● 4.0 x 200 mm, ⊕ PH0 x 75 mm
- 2 Stubby Screwdrivers : ● 6.0 x 38 mm, ⊕ PH2 x 38 mm
- ▶ Copper Hammer : 1 Lb.
- 2-Way Hammer (Rubber & Plastic) : 35mm
- Ball Pein Hammer : 3/4 Lb.
- Thickness Gauge : 0.03, 0.05, 0.06, 0.1, 0.25, 0.6, 0.7 mm
- L-Handle Socket : 10mm x 6"
- Snap Ring Pliers Internal Straight : 7"
- Snap Ring Pliers External Straight : 7"
- Slip Joint Pliers : 8"
- Long Nose Pliers : 6-1/2"
- Diagonal Cutting Pliers : 6-1/2"
- ▶ 5 T-Handle Sockets :
8mm (200 x 250 mm), 10mm (200 x 250 mm),
12mm (250 x 300 mm), 14mm (250 x 300 mm),
17mm (250 x 300 mm)
- 3 T-Handle Swivel Sockets :
10mm (200 x 600 mm), 12mm (200 x 600 mm),
14mm (200 x 600 mm)
- 2 T-Handle Spark Plug Sockets :
16mm (200 x 450 mm), 18mm (200 x 450 mm)
- 2 T-Handle Screwdrivers : ⊕ PH3 (180 x 250 mm)
● 8mm (180 x 250 mm)



High Leverage Pliers



High Leverage Lineman's Pliers

Item No.	Size		KGS
995-265	9"	6	2.76



High Leverage Lineman's Pliers

Item No.	Size		KGS
995-262	7"	6	1.80



High Leverage Long Nose Pliers

Item No.	Size		KGS
995-263	8"	6	1.68



High Leverage Industry Diagonal Cutting Pliers

Item No.	Size		KGS
995-264	8"	6	1.74



High Leverage Diagonal Cutting Pliers

Item No.	Size		KGS
995-261	6"	6	1.44



High Leverage Engineer's Pliers

Item No.	Size		KGS
995-278	8"	6	1.92

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Industrial Pliers



■ Lineman's Pliers

Item No.	Size		KGS
995-509	9"	5	2.6



■ Heavy Duty Lineman's Pliers

Item No.	Size		KGS
995-539	9-1/2"	5	2.4



■ Powerful Lineman's Pliers w/ Crimping Die

Item No.	Size		KGS
995-549	9-1/2"	5	2.4



■ Lineman's Pliers

Item No.	Size		KGS
995-306	6"	5	1.2
995-307	7"	5	1.5
995-308	8"	5	1.9



■ Electrician's Pliers w/ Wire Stripper

Item No.	Size		KGS
995-528	8-1/2"	5	1.5



■ Multi-Function Crimping Die Cutting Pliers

Item No.	Size		KGS
995-538	8"	5	1.5



■ Long Nose Pliers

Item No.	Size		KGS
995-105	5-1/2"	5	0.7
995-106	6-1/2"	5	0.9
995-108	7-1/2"	5	1.3



■ Diagonal Cutting Pliers

Item No.	Size		KGS
995-205	5-1/2"	5	0.9
995-206	6-1/2"	5	1.0
995-207	7-1/2"	5	1.5

Cushion Grip Pliers



Lineman's Pliers

Item No.	Size		KGS
995-519	9"	5	2.9



Powerful Lineman's Pliers w/ Crimping Die

Item No.	Size		KGS
995-569	9-1/2"	5	3.3



Lineman's Pliers

Item No.	Size		KGS
995-316	6"	5	1.5
995-317	7"	5	1.8
995-318	8"	5	2.3



Electrician's Pliers w/ Wire Stripper

Item No.	Size		KGS
995-548	8-1/2"	5	1.5



Multi-Function Crimping Die Cutting Pliers

Item No.	Size		KGS
995-558	8"	5	1.7



Long Nose Pliers

Item No.	Size		KGS
995-115	5-1/2"	5	1.0
995-116	6-1/2"	5	1.1
995-118	7-1/2"	5	1.7



Diagonal Cutting Pliers

Item No.	Size		KGS
995-215	5-1/2"	5	1.0
995-216	6-1/2"	5	1.3
995-217	7-1/2"	5	1.8

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Snap Ring Pliers

■ Snap Ring Pliers – External Straight Jaws

Item No.	Size	Capacity		KGS
995-151	7"	19-60 mm	5	1.0
995-191	9"	40-100 mm	5	1.3



■ Snap Ring Pliers – Internal Straight Jaws

Item No.	Size	Capacity		KGS
995-152	7"	10-45 mm	5	1.0
995-192	9"	32-80 mm	5	1.3



■ Snap Ring Pliers – External 90 Degree Bent Jaws

Item No.	Size	Capacity		KGS
995-153	7"	19-60 mm	5	1.0
995-193	9"	40-100 mm	5	1.3



■ Snap Ring Pliers – Internal 90 Degree Bent Jaws

Item No.	Size	Capacity		KGS
995-154	7"	19-60 mm	5	1.0
995-194	9"	40-100 mm	5	1.3



Pliers



Slip Joint Pliers

Item No.	Size		KGS
995-406	6"	5	0.8
995-408	8"	5	1.5
995-410	10"	5	2.0



Water Pump Pliers – Box Joint

Item No.	Size		KGS
995-817	8"	6	1.2
995-818	10"	6	2.2
995-819	12"	6	3.5



Water Pump Pliers

Item No.	Size		KGS
995-808	8"	5	1.5
995-810	10"	5	2.3
995-812	12"	5	3.2



Plastic Cutting Pliers

Item No.	Size		KGS
995-255	5"	6	0.13
995-256	6-1/2"	6	0.16



Safety Wire Twisting Pliers

Item No.	Size		KGS
895-419	6"	100	28.0
895-421	9"	50	21.5



Terminal Crimping Pliers

Item No.	Size	For Terminals		KGS
895-281	7"	1.25, 2, 3.5, 5.5 mm ²	6	1.7
895-282	10-1/2"	1.25, 2, 5.5, 8, 14 mm ²	6	3.2

■ Suited For Terminal Types :
 Ring Terminal, Y Terminal, Pin Terminal, Non-Insulated Terminal, Copper Tube Terminal,
 Cable Lugs 1-Hole, Cable Lugs 2-Hole.



- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



Locking Pliers



■ Heavy Duty Locking Pliers, Curved Jaw

Item No.	Size	Type		KGS
994-155	5"	CRW 5	5	1.0
994-157	7"	CRW 7	5	1.9
914-010	10"	CRW 10	5	3.1



■ Heavy Duty Locking Pliers, Straight Jaw

Item No.	Size	Type		KGS
994-167	7"	CR 7	5	2.1
994-550	10"	CR 10	5	3.2



■ Locking Pliers, Curved Jaw

Item No.	Size	Type		KGS
894-105	5"	5 WR	12	2.1
894-107	7"	7 WR	12	4.1
894-110	10"	10 WR	12	6.3



■ Locking Pliers, Straight Jaw

Item No.	Size	Type		KGS
894-505	5"	5 R	12	2.1
894-507	7"	7 R	12	4.1
894-510	10"	10 R	12	6.3



■ Heavy Duty Long Nose Locking Pliers

Item No.	Size	Type		KGS
994-176	6"	CLN 6	5	5.2



■ Heavy Duty Locking Metal Sheet Clamp

Item No.	Size	Type		KGS
994-188	8"	CR 8"	1	0.6

Locking Pliers



■ Heavy Duty Locking C Clamp

Item No.	Size	Type		KGS
994-246	6"	CR 6"	5	0.5
994-251	11"	CR 11"	5	4.0
994-258	18"	CR 18"	5	1.3



■ Heavy Duty Locking C Clamp With Swivel Pads

Item No.	Size	Type		KGS
994-266	6"	CSP 6"	5	1.5
994-271	11"	CSP 11"	5	4.2
994-278	18"	CSP 18"	1	1.5



■ Heavy Duty Locking Chain Clamp

Item No.	Size	Type		KGS
994-280	20"	CR 20"	5	4.2



■ Locking C Clamp

Item No.	Size	Type		KGS
894-436	6"	CR 6"	5	0.4
894-441	11"	CR 11"	5	3.5
894-448	18"	CR 18"	5	1.3



■ Locking C Clamp with Swivel Pads

Item No.	Size	Type		KGS
894-456	6"	CSP 6"	5	1.2
894-461	11"	CSP 11"	5	3.8
894-468	18"	CSP 18"	1	1.4

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Cutter



Aviation Snips – Left Cutting

Item No.	Size		KGS
894-921	10"	6	2.9



Aviation Snips – Right Cutting

Item No.	Size		KGS
894-922	10"	6	2.9



Aviation Snips – Straight Cutting

Item No.	Size		KGS
894-923	10"	6	2.9



PVC Pipe Cutter

Item No.	Capacity Pipe OD	Max Pipe Size		KGS
894-912	42 mm (1-5/8")	1-1/4"	5	0.8



Cable Cutter

Item No.	Size		KGS
995-021	6"	6	1.0
995-022	8"	6	1.6
995-023	10"	6	2.2



Heavy Duty Cable Cutter

Item No.	Size		KGS
995-027	10"	6	2.6



Miniature Bolt Cutter

Item No.	Size		KGS
994-308	8"	6	2.5



Bolt Cutter

Item No.	Size		KGS
994-314	14"	1	1.1
994-318	18"	1	1.5
994-324	24"	1	2.4
994-330	30"	1	4.4
994-336	36"	1	5.8
994-342	42"	1	8.0

Hammer



Claw Hammer with Wood Handle

Item No.	Head Weight		KGS
968-108	1/2 Lb.	6	2.3
968-112	3/4 Lb.	6	3.2
968-116	1 Lb.	6	4.0
968-120	1-1/4 Lb.	6	4.5



Claw Hammer with Fiberglass Handle

Item No.	Head Weight		KGS
968-208	1/2 Lb.	6	2.9
968-212	3/4 Lb.	6	5.0
968-216	1 Lb.	6	5.5
968-220	1-1/4 Lb.	6	3.5



Ball Pein Hammer with Wood Handle

Item No.	Head Weight		KGS
968-308	1/2 Lb.	6	1.8
968-312	3/4 Lb.	6	2.5
968-316	1 Lb.	6	3.0
968-324	1-1/2 Lb.	6	6.0
968-332	2 Lb.	6	6.0



Sledge Hammer with Hard Wood Handle

Item No.	Head Weight		KGS
968-401	1 Lb.	6	3.3
968-402	2 Lb.	6	6.0
968-404	4 Lb.	1	1.9
968-406	6 Lb.	1	3.5
968-408	8 Lb.	1	4.3
968-410	10 Lb.	1	4.9
968-412	12 Lb.	1	5.8
968-414	14 Lb.	1	6.3



Rubber and Plastic 2-Way Hammer

Item No.	Head Weight		KGS
968-511	25 mm	6	1.3
968-512	30 mm	6	1.5
968-513	35 mm	6	2.1

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



Hammer, Crimping Tool



■ Engineer's Hammer

Item No.	Head Weight		KGS
968-831	100 Grams	6	1.1
968-832	200 Grams	6	1.5
968-833	300 Grams	6	2.8
968-834	400 Grams	6	2.9
968-835	500 Grams	6	3.2
968-836	600 Grams	6	3.8
968-838	800 Grams	6	5.6



■ Copper Hammer

Item No.	Head Weight		KGS
968-712	3/4 Lb.	6	2.7
968-716	1 Lb.	6	3.3



■ Rubber Mallet

Item No.	Head Weight		KGS
968-931	1/2 Lb.	6	1.6
968-932	3/4 Lb.	6	2.2
968-933	1 Lb.	6	3.0
968-934	1-1/2 Lb.	6	4.8
968-935	2 Lb.	6	5.5



■ Multi-Function Modular Crimping Tool

Item No.	Size		KGS
894-931	7-1/2"	10	3.0



■ Ratcheting Multi-Function Modular Crimping Tool

Item No.	Size		KGS
894-941	8"	10	5.4

Punch, Chisel



Center Punch

Item No.	Point x Hex x Length		KGS
884-601	1/8" x 5/16" x 5"	20	1.5
884-602	3/16" x 7/16" x 6"	20	2.0



Pin Punch

Item No.	Point x Hex x Length		KGS
884-701	3/32" x 1/4" x 4-1/4"	20	0.4
884-702	1/8" x 5/16" x 4-3/4"	20	0.7
884-703	5/32" x 3/8" x 5"	20	1.0
884-704	3/16" x 3/8" x 5-1/4"	20	1.0
884-705	1/4" x 7/16" x 5-3/4"	20	1.7
884-706	5/16" x 1/2" x 6-1/4"	20	2.4



Starting Punch

Item No.	Point x Hex x Length		KGS
884-801	3/32" x 5/16" x 5-1/2"	20	0.9
884-802	1/8" x 3/8" x 5-3/4"	20	0.3
884-803	5/32" x 3/8" x 6"	20	1.6
884-804	3/16" x 7/16" x 6-1/4"	20	2.1
884-805	1/4" x 1/2" x 6-3/4"	20	2.6
884-806	5/16" x 1/2" x 7-1/4"	20	3.0



Flat Chisel (Cold Chisel)

Item No.	Point x Hex x Length		KGS
884-901	3/8" x 5/16" x 5-1/2"	20	1.1
884-902	1/2" x 7/16" x 6"	20	1.9



Gasket Scraper

Item No.	Size		KGS
967-501	7"	6	0.4



Mill File (Smooth Cut) with Plastic Handle

Item No.	Size		KGS
984-123	8"	10	2.0

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



■ Measuring Tape (Dual Lock, Double Sided)

Item No.	Length	Blade Width		KGS
961-003	3.0 m / 10 ft	16 mm	6	0.9
961-005	5.0 m / 16 ft	19 mm	6	1.5
961-006	5.5 m / 18 ft	25 mm	6	2.0
961-007	7.5 m / 25 ft	25 mm	6	2.7
961-008	8.0 m / 25 ft	25 mm	6	2.8



■ Measuring Tape (Self-Lock)

Item No.	Length	Blade Width		KGS
961-103	3.0 m / 10 ft	16 mm	6	0.9
961-105	5.0 m / 16 ft	19 mm	6	1.5
961-106	5.5 m / 18 ft	25 mm	6	2.0
961-107	7.5 m / 25 ft	25 mm	6	2.6
961-108	8.0 m / 25 ft	25 mm	6	2.6



■ 7 Pc. Thickness Gauge

Item No.		KGS
968-557	50	1.4

Size : 0.03, 0.05, 0.06, 0.10, 0.25, 0.60, 0.70 mm



■ 13 Pc. Thickness Gauge

Item No.		KGS
968-563	50	2.9

Size : 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.60, 0.70, 0.80, 0.90, 1.00 mm

Clamp, Gear Puller, Oil Filter Wrench, Basin Wrench



■ Heavy Duty C Clamp

Item No.	Size	Throat Depth		KGS
968-623	3"	70 mm	6	6.4
968-624	4"	75 mm	6	8.8
968-626	6"	100 mm	3	7.0
968-628	8"	125 mm	2	6.8
968-630	10"	150 mm	2	10.3
968-632	12"	170 mm	1	6.3



■ Gear Puller – 2 Jaw

Item No.	Size		KGS
982-003	3"	1	0.5
982-004	4"	1	0.8
982-006	6"	1	1.9
982-008	8"	1	3.8
982-010	10"	1	5.8
982-012	12"	1	9.0



■ Gear Puller – 3 Jaw

Item No.	Size		KGS
983-003	3"	1	0.6
983-004	4"	1	1.2
983-006	6"	1	2.8
983-008	8"	1	5.5
983-010	10"	1	7.8
983-012	12"	1	12.0



■ Oil Filter Wrench

Item No.	Size		KGS
972-011	3"	1	0.6



■ Basin Wrench

Item No.	Size		KGS
995-901	11"	10	5.6





■ Adjustable Wrench

Item No.	Size		KGS
995-604	4"	6	0.3
995-606	6"	6	1.0
995-608	8"	6	1.7
995-610	10"	6	2.8
995-612	12"	6	4.4
995-615	15"	1	1.5
995-618	18"	1	2.5
995-624	24"	1	4.3



■ Pipe Wrench

Item No.	Size		KGS
995-708	8"	1	0.4
995-710	10"	1	0.7
995-712	12"	1	1.0
995-714	14"	1	0.9
995-718	18"	1	2.0
995-724	24"	1	3.2
995-736	36"	1	5.3
995-748	48"	1	8.8



■ Heavy Duty Pipe Wrench

Item No.	Size		KGS
995-788	8"	1	0.4
995-789	10"	1	0.8
995-790	12"	1	1.1
995-791	14"	1	1.5
995-792	18"	1	2.4
995-793	24"	1	3.9
995-794	36"	1	8.3
995-795	48"	1	15.4



■ Heavy Duty Aluminum Pipe Wrench

Item No.	Size		KGS
995-775	10"	6	3.2
995-776	12"	6	4.8
995-777	14"	6	5.8
995-779	18"	2	3.1
995-780	24"	2	5.1
995-781	36"	1	5.0
995-782	48"	1	8.2




■ Chain Wrench

Item No.	Size		KGS
995-906	6"	6	2.5
995-909	9"	6	3.2


Riveter, Staple Gun, Grease Gun



User Instructions



Choose the drill size and the proper rivet.



Drill both pieces to be riveted.




Insert the rivet in the nose, opening wide the riveter.




Place the bead of the rivet in the hole just drilled and apply pressure on both handles until you hear the click of the rivet being cut.



Staple Gun

Item No.	Staple Size		KGS
894-801	Width : 0.7 mm Leg : 4, 6, 8 mm Crown : 11.3 mm		20

Staple Gun

Item No.	Staple Size		KGS
894-802	Width : 0.7 mm Leg : 4, 6, 8 mm Crown : 11.3 mm		20

Grease Gun

Item No.	Size		KGS
870-604	400 c.c.		1

Grease Gun

Item No.	Size		KGS
870-605	500 c.c.		1



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



■ 4 Drawer Top Chest \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-003	4	4.3	23.4

Type	W	D	H
Overall	660 mm (26")	307 mm (12.1")	378 mm (14.9")
4 Drawer	569 mm (22.4")	272 mm (10.7")	50 mm (2")
1 Drawer	569 mm (22.4")	272 mm (10.7")	75 mm (3")



■ 5 Drawer Top Chest \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-001	5	5	28.8

Type	W	D	H
Overall	660 mm (26")	307 mm (12.1")	433 mm (17")
4 Drawer	569 mm (22.4")	272 mm (10.7")	50 mm (2")
1 Drawer	569 mm (22.4")	272 mm (10.7")	75 mm (3")



■ 6 Drawer Top Chest \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-004	6	4.5	25.5

Type	W	D	H
Overall	660 mm (26")	307 mm (12.1")	378 mm (14.9")
3 Drawer	169 mm (6.7")	272 mm (10.7")	50 mm (2")
2 Drawer	569 mm (22.4")	272 mm (10.7")	50 mm (2")
1 Drawer	569 mm (22.4")	272 mm (10.7")	75 mm (3")



■ 9 Drawer Top Chest \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-002	9	5.2	30.7

Type	W	D	H
Overall	660 mm (26")	307 mm (12.1")	433 mm (17")
6 Drawer	169 mm (6.7")	272 mm (10.7")	50 mm (2")
2 Drawer	569 mm (22.4")	272 mm (10.7")	50 mm (2")
1 Drawer	569 mm (22.4")	272 mm (10.7")	75 mm (3")



■ 2 Drawer Portable Tool Chest

Item No.	Drawer	CUFT	KGS
890-015	2	2.05	9.6

Type	W	D	H
Overall	533 mm (21")	220 mm (8.7")	287 mm (11.3")
2 Drawers	504 mm (19.8")	195 mm (7.7")	79 mm (3")



■ 3 Drawer Portable Tool Chest

Item No.	Drawer	CUFT	KGS
890-016	3	2.05	11.2

Type	W	D	H
Overall	533 mm (21")	220 mm (8.7")	287 mm (11.3")
3 Drawers	504 mm (19.8")	195 mm (7.7")	52 mm (2")



■ 2 Drawer Service Cart \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-011	2	6.92	44

Type	W	D	H
Overall	780 mm (30")	520 mm (20.1")	884 mm (34.8")
2 Drawers	628 mm (24.7")	445 mm (17.5")	81 mm (3.2")



■ 4 Drawer Service Cart

Item No.	Drawer	CUFT	KGS
890-010	4	10.82	60

Type	W	D	H
Overall	780 mm (30.7")	520 mm (20.5")	1020 mm (40.2")
2 Drawer	298 mm (11.7")	445 mm (17.5")	81 mm (3.2")
1 Drawer	628 mm (24.7")	445 mm (17.5")	81 mm (3.2")
1 Drawer	628 mm (24.7")	445 mm (17.5")	127 mm (5")

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER
DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND
WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



■ 7 Drawer Roll Wagon \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-005	7	12.2	64.0

Type	W	D	H
Overall	670 mm (26.4")	460 mm (18.1")	960 mm (37.8")
5 Drawer	576 mm (22.7")	380 mm (15")	75 mm (3")
2 Drawer	576 mm (22.7")	380 mm (15")	154 mm (6.1")



■ 8 Drawer Roll Wagon \ Ball Bearing Slider

Item No.	Drawer	CUFT	KGS
890-014	8	12.2	66.0

Type	W	D	H
Overall	670 mm (26.4")	460 mm (18.1")	960 mm (37.8")
7 Drawer	576 mm (22.7")	380 mm (15")	75 mm (3")
1 Drawer	576 mm (22.7")	380 mm (15")	154 mm (6.1")



■ 1 Drawer 2 Shelf Trolley

Item No.	Drawer	CUFT	KGS
890-013	1	2.7	23.2

Type	W	D	H
Overall	716 mm (28.2")	410 mm (16.1")	880 mm (34.6")
1 Drawer	569 mm (22.4")	275 mm (10.8")	75 mm (3")



■ 3 Shelf Trolley

Item No.	Drawer	CUFT	KGS
890-006	0	2.7	20.2

Type	W	D	H
Overall	716 mm (28.2")	410 mm (16.1")	880 mm (34.6")