

IMPACT SOCKET



Accessory / Socket / Socket Set



■ 3/8" Dr. Impact Socket

Item No.	Size		KGS
Metric			
773-106	6 mm	10	0.4
773-107	7 mm	10	0.4
773-108	8 mm	10	0.4
773-109	9 mm	10	0.4
773-110	10 mm	10	0.4
773-111	11 mm	10	0.4
773-112	12 mm	10	0.4
773-113	13 mm	10	0.5
773-114	14 mm	10	0.5
773-115	15 mm	10	0.5
773-116	16 mm	10	0.6
773-117	17 mm	10	0.6
773-118	18 mm	10	0.7
773-119	19 mm	10	0.8
773-120	20 mm	10	0.8
773-121	21 mm	10	0.8
773-122	22 mm	10	0.9



SAE

773-205	5/16"	10	0.4
773-206	3/8"	10	0.4
773-207	7/16"	10	0.4
773-208	1/2"	10	0.5
773-209	9/16"	10	0.5
773-210	5/8"	10	0.6
773-211	11/16"	10	0.6
773-212	3/4"	10	0.8
773-213	13/16"	10	0.8
773-214	7/8"	10	0.9

IMPACT SOCKETS





3/8" Dr. Deep Impact Socket

■ 3/8" Dr. Deep Impact Socket



Item No.	Size	Length		KGS
Metric				
773-306	6 mm	63 mm	15	1.2
773-307	7 mm	63 mm	15	1.2
773-308	8 mm	63 mm	15	1.2
773-309	9 mm	63 mm	15	1.2
773-310	10 mm	63 mm	15	1.2
773-311	11 mm	63 mm	15	1.2
773-312	12 mm	63 mm	15	1.2
773-313	13 mm	63 mm	12	1.3
773-314	14 mm	63 mm	12	1.3
773-315	15 mm	63 mm	12	1.4
773-316	16 mm	63 mm	12	1.6
773-317	17 mm	63 mm	12	1.6
773-318	18 mm	63 mm	12	1.7
773-319	19 mm	63 mm	12	2.1
773-320	20 mm	63 mm	12	2.7
773-321	21 mm	63 mm	12	2.8
773-322	22 mm	63 mm	12	3.0
SAE				
773-405	5/16"	63 mm	15	1.2
773-406	3/8"	63 mm	15	1.2
773-407	7/16"	63 mm	15	1.2
773-408	1/2"	63 mm	12	1.3
773-409	9/16"	63 mm	12	1.3
773-410	5/8"	63 mm	12	1.6
773-411	11/16"	63 mm	12	1.6
773-412	3/4"	63 mm	12	2.1
773-413	13/16"	63 mm	12	2.8
773-414	7/8"	63 mm	12	3.0

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



3/8" Dr. Hex Head Impact Socket



■ 3/8" Dr. Hex Head Impact Socket



Item No.	Size		KGS
Metric			
773-604	4 mm	10	0.5
773-605	5 mm	10	0.5
773-606	6 mm	10	0.7
773-607	7 mm	10	0.8
773-608	8 mm	10	0.8
773-609	9 mm	10	0.9
773-610	10 mm	10	0.9
773-611	11 mm	10	0.9
773-612	12 mm	10	1.0
773-613	13 mm	10	1.0
773-614	14 mm	10	1.1
773-615	15 mm	10	1.2
773-616	16 mm	10	1.2
773-617	17 mm	10	1.3
SAE			
773-625	5/32"	10	0.5
773-626	3/16"	10	0.5
773-627	7/32"	10	0.6
773-628	1/4"	10	0.7
773-629	5/16"	10	0.8
773-630	3/8"	10	0.9
773-631	7/16"	10	0.9
773-632	1/2"	10	1.0
773-633	9/16"	10	1.2
773-634	5/8"	10	1.2



3/8" Dr. Impact Socket Accessory



■ 3/8" Dr. Impact Adapter

Item No.	Size		KGS
773-004	3/8" F x 1/4" M	10	0.3
773-005	3/8" F x 1/2" M	10	0.7



■ 3/8" Dr. Impact Extension

Item No.	Size		KGS
773-703	3"	20	1.8
773-704	6"	15	2.4



■ 3/8" Dr. Impact Universal Joint

Item No.		KGS
773-906	20	2.2

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



■ 1/2" Dr. Impact Socket



Item No.	Size		KGS
Metric			
774-108	8 mm	10	0.7
774-109	9 mm	10	0.7
774-110	10 mm	10	0.7
774-111	11 mm	10	0.7
774-112	12 mm	10	0.7
774-113	13 mm	10	0.8
774-114	14 mm	10	0.8
774-115	15 mm	10	1.2
774-116	16 mm	10	1.2
774-117	17 mm	10	1.3
774-118	18 mm	10	1.3
774-119	19 mm	10	1.3
774-120	20 mm	10	1.3
774-121	21 mm	10	1.3
774-122	22 mm	10	1.3
774-123	23 mm	10	1.3
774-124	24 mm	10	1.4
774-125	25 mm	10	1.5
774-126	26 mm	10	1.5
774-127	27 mm	10	1.9
774-128	28 mm	10	2.1
774-129	29 mm	10	2.1
774-130	30 mm	10	2.2
774-132	32 mm	6	1.4
774-133	33 mm	6	1.4
774-134	34 mm	6	1.6
774-135	35 mm	6	1.6
774-136	36 mm	6	1.6

1/2" Dr. Impact Socket



■ 1/2" Dr. Impact Socket

Item No.	Size		KGS
SAE			
774-205	5/16"	10	0.7
774-206	3/8"	10	0.7
774-207	7/16"	10	0.7
774-208	1/2"	10	0.8
774-209	9/16"	10	0.9
774-210	5/8"	10	1.2
774-211	11/16"	10	1.2
774-212	3/4"	10	1.3
774-213	13/16"	10	1.3
774-214	7/8"	10	1.4
774-215	15/16"	10	1.4
774-216	1"	10	1.5
774-217	1-1/16"	10	1.9
774-218	1-1/8"	10	2.1
774-219	1-3/16"	10	2.2
774-220	1-1/4"	6	1.4



- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



■ 1/2" Dr. Deep Impact Socket



Item No.	Size	Length		KGS
Metric				
774-308	8 mm	78 mm	12	2.0
774-309	9 mm	78 mm	12	2.0
774-310	10 mm	78 mm	12	2.0
774-311	11 mm	78 mm	12	2.0
774-312	12 mm	78 mm	12	2.0
774-313	13 mm	78 mm	12	2.2
774-314	14 mm	78 mm	12	2.2
774-315	15 mm	78 mm	12	2.6
774-316	16 mm	78 mm	12	2.6
774-317	17 mm	78 mm	12	2.7
774-318	18 mm	78 mm	12	2.7
774-319	19 mm	78 mm	12	2.7
774-320	20 mm	78 mm	12	2.7
774-321	21 mm	78 mm	12	2.7
774-322	22 mm	78 mm	10	2.4
774-323	23 mm	78 mm	6	1.5
774-324	24 mm	78 mm	6	1.9
774-325	25 mm	78 mm	6	2.1
774-326	26 mm	78 mm	6	2.1
774-327	27 mm	78 mm	6	2.5
774-328	28 mm	78 mm	6	2.5
774-329	29 mm	78 mm	6	2.5
774-330	30 mm	78 mm	6	2.5
774-332	32 mm	78 mm	5	2.2
774-334	34 mm	78 mm	5	2.2
774-335	35 mm	78 mm	5	2.2
774-336	36 mm	78 mm	5	2.2
SAE				
774-405	5/16"	78 mm	12	2.0
774-406	3/8"	78 mm	12	2.0
774-407	7/16"	78 mm	12	2.0
774-408	1/2"	78 mm	12	2.2
774-409	9/16"	78 mm	12	2.2
774-410	5/8"	78 mm	12	2.2
774-411	11/16"	78 mm	12	2.7
774-412	3/4"	78 mm	12	3.1
774-413	13/16"	78 mm	10	3.0
774-414	7/8"	78 mm	10	3.3
774-415	15/16"	78 mm	6	2.0
774-416	1"	78 mm	6	2.1
774-417	1-1/16"	78 mm	6	2.5
774-418	1-1/8"	78 mm	6	2.5
774-419	1-3/16"	78 mm	6	2.5
774-420	1-1/4"	78 mm	5	2.2



1/2" Dr. Thin-Deep, Hex Head Impact Socket



1/2" Dr. Thin-Deep Impact Socket

Item No.	Size	Length		KGS
Metric				
774-510	10 mm	78 mm	12	1.9
774-511	11 mm	78 mm	12	1.9
774-512	12 mm	78 mm	12	1.9
774-513	13 mm	78 mm	12	2.1
774-514	14 mm	78 mm	12	2.1
774-515	15 mm	78 mm	12	2.5
774-517	17 mm	78 mm	12	2.6
774-519	19 mm	78 mm	12	2.6
774-521	21 mm	78 mm	12	2.6
774-522	22 mm	78 mm	12	2.7
774-523	23 mm	78 mm	6	1.4
774-524	24 mm	78 mm	6	1.9

1/2" Dr. Hex Head Impact Socket



Item No.	Size		KGS
Metric			
774-604	4 mm	10	0.9
774-605	5 mm	10	0.9
774-606	6 mm	10	1.0
774-607	7 mm	10	1.0
774-608	8 mm	10	1.1
774-609	9 mm	10	1.1
774-610	10 mm	10	1.3
774-611	11 mm	10	1.4
774-612	12 mm	10	1.4
774-613	13 mm	10	1.4
774-614	14 mm	10	1.4
774-615	15 mm	10	1.4
774-616	16 mm	10	1.4
774-617	17 mm	10	1.5
774-618	18 mm	10	1.7
774-619	19 mm	10	2.2
774-620	20 mm	10	2.3
774-621	21 mm	10	2.4

SAE			
774-625	5/32"	10	0.9
774-626	3/16"	10	0.9
774-627	7/32"	10	0.9
774-628	1/4"	10	1.0
774-629	5/16"	10	1.1
774-630	3/8"	10	1.3
774-631	7/16"	10	1.4
774-632	1/2"	10	1.4
774-633	9/16"	10	1.4
774-634	5/8"	10	1.4
774-635	11/16"	10	1.5
774-636	3/4"	10	2.2
774-637	13/16"	10	2.3

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



■ 1/2" Dr. TORX® Head Impact Socket

Item No.	Size	Length		KGS
Metric				
774-649	T25	78mm	12	0.9
774-650	T27	78mm	12	0.9
774-651	T30	78mm	12	0.9
774-652	T40	78mm	12	0.9
774-653	T45	78mm	12	1.1
774-654	T50	78mm	12	1.1
774-655	T55	78mm	12	1.1
774-656	T60	78mm	12	1.1



■ 1/2" Dr. Impact Adapter

Item No.	Size		KGS
773-006	1/2" F x 3/8" M	10	0.8
773-007	1/2" F x 3/4" M	20	3.4



■ 1/2" Dr. Impact Extension

Item No.	Size		KGS
773-705	3"	10	2.3
773-706	5"	10	4.4
773-707	10"	10	4.6



■ 1/2" Dr. Impact Universal Joint

Item No.		KGS
773-907	20	1.8



Blow Mold Box

■ 1/2" Dr. Impact Socket Set – 11 Pc.

Item No.		KGS
774-001	Metric, 6 Point	1

● 11 Impact Sockets : 10, 11, 12, 13, 14, 15, 17, 19, 21, 24, 27 mm

3/4" Dr. Impact Socket



■ 3/4" Dr. Impact Socket



Item No.	Size		KGS
Metric			
776-117	17 mm	10	2.4
776-118	18 mm	10	2.4
776-119	19 mm	10	2.4
776-120	20 mm	10	2.5
776-121	21 mm	10	2.5
776-122	22 mm	10	2.6
776-123	23 mm	10	2.6
776-124	24 mm	10	2.6
776-125	25 mm	10	2.8
776-126	26 mm	10	2.8
776-127	27 mm	10	2.9
776-128	28 mm	10	3.3
776-129	29 mm	10	3.3
776-130	30 mm	6	2.3
776-131	31 mm	6	2.4
776-132	32 mm	6	2.4
776-133	33 mm	6	2.6
776-134	34 mm	6	2.6
776-135	35 mm	6	2.9
776-136	36 mm	6	2.9
776-137	37 mm	6	2.9
776-138	38 mm	6	2.9
776-139	39 mm	6	3.0
776-140	40 mm	1	0.5
776-141	41 mm	1	0.6
776-142	42 mm	1	0.7
776-143	43 mm	1	0.7
776-144	44 mm	1	0.7
776-145	45 mm	1	0.7
776-146	46 mm	1	0.8
776-147	47 mm	1	0.7
776-148	48 mm	1	0.8
776-149	49 mm	1	0.8
776-150	50 mm	1	1.0
776-152	52 mm	1	1.2
776-155	55 mm	1	1.3
776-157	57 mm	1	1.5
776-160	60 mm	1	1.6
776-165	65 mm	1	1.7
776-170	70 mm	1	1.9

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



■ 3/4" Dr. Impact Socket



Item No.	Size		KGS
SAE			
776-211	11/16"	10	2.4
776-212	3/4"	10	2.4
776-213	13/16"	10	2.5
776-214	7/8"	10	2.6
776-215	15/16"	10	2.6
776-216	1"	10	2.7
776-217	1-1/16"	10	2.9
776-218	1-1/8"	6	2.1
776-219	1-3/16"	6	2.3
776-220	1-1/4"	6	2.3
776-221	1-5/16"	6	2.6
776-222	1-3/8"	6	2.7
776-223	1-7/16"	6	2.8
776-224	1-1/2"	6	2.9
776-225	1-9/16"	1	0.6
776-226	1-5/8"	1	0.6
776-227	1-11/16"	1	0.7
776-228	1-3/4"	1	0.8
776-229	1-13/16"	1	0.8
776-230	1-7/8"	1	0.8
776-231	1-15/16"	1	0.8
776-232	2"	1	0.9
776-233	2-1/16"	1	0.9
776-234	2-1/8"	1	1.3
776-235	2-3/16"	1	1.3
776-236	2-1/4"	1	1.5
776-237	2-5/16"	1	1.5
776-238	2-3/8"	1	1.6
776-239	2-1/2"	1	1.6
776-240	2-9/16"	1	1.7
776-241	2-5/8"	1	1.8
776-242	2-3/4"	1	1.9



3/4" Dr. Deep Impact Socket

■ 3/4" Dr. Deep Impact Socket



Item No.	Size	Length		KGS
Metric				
776-317	17 mm	90 mm	6	2.4
776-318	18 mm	90 mm	6	2.4
776-319	19 mm	90 mm	6	2.4
776-320	20 mm	90 mm	6	2.4
776-321	21 mm	90 mm	6	2.5
776-322	22 mm	90 mm	6	2.7
776-323	23 mm	90 mm	6	2.7
776-324	24 mm	90 mm	6	2.7
776-325	25 mm	90 mm	6	2.9
776-326	26 mm	90 mm	5	2.4
776-327	27 mm	90 mm	5	2.6
776-328	28 mm	90 mm	5	2.8
776-329	29 mm	90 mm	5	2.9
776-330	30 mm	90 mm	5	3.2
776-332	32 mm	90 mm	5	3.2
776-333	33 mm	90 mm	4	2.8
776-334	34 mm	90 mm	4	2.8
776-335	35 mm	90 mm	4	3.2
776-336	36 mm	90 mm	4	3.1
776-337	37 mm	90 mm	4	3.3
776-338	38 mm	92 mm	4	3.4
776-339	39 mm	92 mm	4	3.6
776-340	40 mm	92 mm	4	3.6
776-341	41 mm	92 mm	4	3.6
776-342	42 mm	92 mm	3	3.2
776-343	43 mm	92 mm	3	3.2
776-346	46 mm	92 mm	3	3.5
776-349	49 mm	92 mm	3	3.8
776-350	50 mm	95 mm	3	4.1
776-355	55 mm	95 mm	1	1.8
776-360	60 mm	95 mm	1	2.0
776-365	65 mm	95 mm	1	2.3

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



3/4" Dr. Deep Impact Socket



■ 3/4" Dr. Deep Impact Socket

Item No.	Size		KGS
SAE			
776-411	11/16"	6	2.4
776-412	3/4"	6	2.4
776-413	13/16"	6	2.5
776-414	7/8"	6	2.7
776-415	15/16"	6	2.7
776-416	1"	6	2.8
776-417	1-1/16"	5	2.6
776-418	1-1/8"	5	2.9
776-419	1-3/16"	5	3.1
776-420	1-1/4"	4	2.6
776-421	1-5/16"	4	2.7
776-422	1-3/8"	4	3.2
776-423	1-7/16"	4	3.2
776-424	1-1/2"	4	3.4
776-425	1-9/16"	4	3.5
776-426	1-5/8"	4	3.6
776-427	1-11/16"	3	3.2
776-428	1-3/4"	3	3.4
776-429	1-13/16"	3	3.5
776-430	1-7/8"	3	3.7
776-431	1-15/16"	3	3.8
776-432	2"	3	4.0





3/4" Dr. Hex Head Impact Socket

■ 3/4" Dr. Hex Head Impact Socket



Item No.	Size		KGS
Metric			
776-619	19 mm	6	3.7
776-620	21 mm	6	3.8
776-621	22 mm	6	3.8
776-622	24 mm	5	3.5
776-623	27 mm	5	3.7
776-624	30 mm	5	4.2
776-625	32 mm	5	4.3
SAE			
776-612	3/4"	6	3.7
776-613	13/16"	6	3.8
776-614	7/8"	6	3.8
776-615	15/16"	5	3.4
776-616	1"	5	3.5
776-617	1-1/16"	5	3.7
776-618	1-1/8"	5	3.9
776-629	1-3/16"	5	4.2
776-630	1-1/4"	5	4.3

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



3/4" Dr. Impact Socket Accessory



■ 3/4" Dr. Impact Adapter

Item No.	Size		KGS
773-008	3/4" F x 1/2" M	8	2.7
773-009	3/4" F x 1" M	5	2.3



■ 3/4" Dr. Impact Extension

Item No.	Size		KGS
773-708	3-1/2"	6	3.2
773-709	4"	6	3.4
773-710	6"	6	4.7
773-711	7"	6	5.3
773-712	8"	6	5.9
773-713	10"	3	3.5



■ 3/4" Dr. Impact Universal Joint

Item No.		KGS
773-908	4	2.3

1" Dr. Impact Socket



1" Dr. Impact Socket



Item No.	Size		KGS
Metric			
778-117	17 mm	6	3.0
778-119	19 mm	6	3.1
778-121	21 mm	6	3.1
778-122	22 mm	6	3.2
778-123	23 mm	6	3.2
778-124	24 mm	6	3.2
778-125	25 mm	6	3.2
778-126	26 mm	6	3.2
778-127	27 mm	6	3.2
778-128	28 mm	6	3.3
778-129	29 mm	6	3.3
778-130	30 mm	6	3.3
778-131	31 mm	6	3.5
778-132	32 mm	6	3.6
778-133	33 mm	6	3.8
778-134	34 mm	6	3.9
778-135	35 mm	6	4.0
778-136	36 mm	5	3.4
778-137	37 mm	5	3.4
778-138	38 mm	5	3.5
778-139	39 mm	5	3.9
778-140	40 mm	5	4.4
778-141	41 mm	5	4.7
778-142	42 mm	1	1.0
778-143	43 mm	1	1.0
778-144	44 mm	1	1.0
778-146	46 mm	1	1.0
778-147	47 mm	1	1.0
778-148	48 mm	1	1.1
778-149	49 mm	1	1.1
778-150	50 mm	1	1.1
778-151	51 mm	1	1.1
778-152	52 mm	1	1.1
778-154	54 mm	1	1.3
778-155	55 mm	1	1.4
778-156	56 mm	1	1.4
778-157	57 mm	1	1.6
778-158	58 mm	1	1.6
778-160	60 mm	1	1.7
778-162	62 mm	1	1.8
778-163	63 mm	1	1.9
778-165	65 mm	1	1.9
778-167	67 mm	1	2.1
778-168	68 mm	1	2.1
778-170	70 mm	1	2.2
778-173	73 mm	1	2.8
778-175	75 mm	1	3.2
778-176	76 mm	1	3.5
778-180	80 mm	1	3.7
778-185	85 mm	1	4.1
778-190	90 mm	1	5.2
778-195	95 mm	1	5.3

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



■ 1" Dr. Impact Socket



Item No.	Size		KGS
SAE			
778-211	11/16"	6	3.0
778-212	3/4"	6	3.1
778-213	13/16"	6	3.2
778-214	7/8"	6	3.2
778-215	15/16"	6	3.2
778-216	1"	6	3.2
778-217	1-1/16"	6	3.2
778-218	1-1/8"	6	3.3
778-219	1-3/16"	6	3.4
778-220	1-1/4"	6	3.8
778-221	1-5/16"	6	3.8
778-222	1-3/8"	6	3.9
778-223	1-7/16"	5	3.3
778-224	1-1/2"	5	3.4
778-225	1-9/16"	5	4.4
778-226	1-5/8"	5	4.7
778-227	1-11/16"	1	0.9
778-228	1-3/4"	1	1.0
778-229	1-13/16"	1	1.0
778-230	1-7/8"	1	1.1
778-231	1-15/16"	1	1.1
778-232	2"	1	1.1
778-233	2-1/16"	1	1.2
778-234	2-1/8"	1	1.3
778-235	2-3/16"	1	1.5
778-236	2-1/4"	1	1.5
778-237	2-5/16"	1	1.5
778-238	2-3/8"	1	1.7
778-239	2-7/16"	1	1.9
778-240	2-1/2"	1	1.9
778-241	2-9/16"	1	1.9
778-242	2-5/8"	1	2.0
778-243	2-11/16"	1	2.2
778-244	2-3/4"	1	2.3
778-245	2-13/16"	1	2.4
778-246	2-7/8"	1	2.4
778-247	2-15/16"	1	3.2
778-248	3"	1	3.5
778-249	3-1/16"	1	3.5
778-250	3-1/8"	1	3.6
778-251	3-1/4"	1	3.8
778-252	3-3/8"	1	4.1
778-253	3-1/2"	1	5.2
778-254	3-5/8"	1	5.2
778-255	3-3/4"	1	5.3

1" Dr. Deep Impact Socket



1" Dr. Deep Impact Socket



Item No.	Size	Length		KGS
Metric				
778-319	19 mm	90 mm	1	0.7
778-321	21 mm	90 mm	1	0.7
778-322	22 mm	90 mm	1	0.7
778-323	23 mm	90 mm	1	0.7
778-324	24 mm	90 mm	1	0.7
778-325	25 mm	90 mm	1	0.7
778-326	26 mm	90 mm	1	0.8
778-327	27 mm	90 mm	1	0.8
778-328	28 mm	90 mm	1	0.8
778-329	29 mm	90 mm	1	0.8
778-330	30 mm	90 mm	1	0.8
778-331	31 mm	90 mm	1	0.9
778-332	32 mm	90 mm	1	0.9
778-333	33 mm	90 mm	1	0.9
778-334	34 mm	90 mm	1	1.0
778-335	35 mm	90 mm	1	1.0
778-336	36 mm	90 mm	1	1.0
778-337	37 mm	90 mm	1	1.0
778-338	38 mm	92 mm	1	1.0
778-339	39 mm	92 mm	1	1.1
778-340	40 mm	92 mm	1	1.2
778-341	41 mm	92 mm	1	1.2
778-342	42 mm	92 mm	1	1.2
778-343	43 mm	92 mm	1	1.2
778-344	44 mm	92 mm	1	1.3
778-346	46 mm	92 mm	1	1.4
778-348	48 mm	92 mm	1	1.5
778-349	49 mm	92 mm	1	1.5
778-350	50 mm	95 mm	1	1.6
778-352	52 mm	95 mm	1	1.6
778-354	54 mm	95 mm	1	1.8
778-355	55 mm	100 mm	1	2.0
778-356	56 mm	100 mm	1	2.1
778-357	57 mm	100 mm	1	2.2
778-358	58 mm	100 mm	1	2.3
778-360	60 mm	105 mm	1	2.4
778-363	63 mm	110 mm	1	2.6
778-365	65 mm	120 mm	1	3.0
778-370	70 mm	124 mm	1	3.3
778-375	75 mm	135 mm	1	4.6
778-380	80 mm	135 mm	1	4.9
778-385	85 mm	140 mm	1	5.3
778-390	90 mm	140 mm	1	5.8

- 1 SOCKETS
- 2 WRENCHES
- 3 SCREWDRIVERS
- 4 HEX WRENCH
- 5 FASTENER DRIVE TOOLS
- 6 HAND TOOLS
- 7 STORAGE
- 8 PNEUMATIC
- 9 DIAMOND WHEELS
- 10 CORE BITS
- 11 HOLE SAWS
- 12 ABRASIVES



1" Dr. Deep Impact Socket

Item No.	Size	Length		KGS
SAE				
778-412	3/4"	90 mm	1	0.7
778-413	13/16"	90 mm	1	0.7
778-414	7/8"	90 mm	1	0.7
778-415	15/16"	90 mm	1	0.7
778-416	1"	90 mm	1	0.8
778-417	1-1/16"	90 mm	1	0.8
778-418	1-1/8"	90 mm	1	0.8
778-419	1-3/16"	90 mm	1	0.8
778-420	1-1/4"	90 mm	1	0.9
778-421	1-5/16"	90 mm	1	0.9
778-422	1-3/8"	90 mm	1	0.9
778-423	1-7/16"	90 mm	1	1.0
778-424	1-1/2"	92 mm	1	1.0
778-425	1-9/16"	92 mm	1	1.2
778-426	1-5/8"	92 mm	1	1.2
778-427	1-11/16"	92 mm	1	1.2
778-428	1-3/4"	92 mm	1	1.4
778-429	1-13/16"	92 mm	1	1.4
778-430	1-7/8"	92 mm	1	1.5
778-431	1-15/16"	92 mm	1	1.6
778-432	2"	95 mm	1	1.6
778-433	2-1/16"	95 mm	1	1.6
778-434	2-1/8"	100 mm	1	1.8
778-435	2-3/16"	100 mm	1	2.0
778-436	2-1/4"	100 mm	1	2.2
778-437	2-5/16"	105 mm	1	2.3
778-438	2-3/8"	105 mm	1	2.4
778-440	2-1/2"	110 mm	1	2.6
778-441	2-9/16"	120 mm	1	3.0
778-442	2-5/8"	120 mm	1	3.2
778-443	2-3/4"	124 mm	1	3.3
778-445	2-15/16"	135 mm	1	4.6
778-446	3"	135 mm	1	4.6
778-447	3-1/16"	135 mm	1	4.7
778-448	3-1/8"	135 mm	1	4.9





1" Dr. Hex Head Impact Socket

■ 1" Dr. Hex Head Impact Socket



Item No.	Size		KGS
Metric			
778-619	19 mm	4	3.3
778-620	21 mm	4	3.4
778-621	22 mm	4	3.5
778-622	24 mm	4	3.7
778-623	27 mm	4	3.8
778-624	30 mm	4	4.3
778-625	32 mm	4	5.1
SAE			
778-612	3/4"	4	3.3
778-613	13/16"	4	3.4
778-614	7/8"	4	3.6
778-615	15/16"	4	3.7
778-616	1"	4	3.7
778-617	1-1/16"	4	3.8
778-618	1-1/8"	4	4.0
778-629	1-3/16"	4	4.3
778-630	1-1/4"	4	5.1

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



1" Dr. Impact Socket Accessory



■ 1" Dr. Impact Adapter

Item No.	Size		KGS
773-010	1" F x 3/4" M	6	3.5



■ 1" Dr. Impact Extension

Item No.	Size		KGS
773-714	4"	3	3.0
773-715	6"	3	4.0
773-716	7"	3	4.5
773-717	8"	3	5.0
773-718	10"	3	6.1
773-719	12"	3	7.1
773-720	13"	3	7.5



■ 1" Dr. Impact Universal Joint

Item No.		KGS
773-909	3	3.2