

WRENCH

Combination / Box End /
Open End / Wrench Set





Combination Wrench

■ Combination Wrench – 12 Point

Item No.	Size	Length		KGS
Metric				
396-851	6 mm	128 mm	25	0.6
396-852	7 mm	138 mm	25	0.8
396-853	8 mm	148 mm	25	1.0
396-854	9 mm	154 mm	20	0.9
396-855	10 mm	162 mm	20	1.1
396-856	11 mm	167 mm	12	0.8
396-857	12 mm	174 mm	15	1.3
396-858	13 mm	178 mm	15	1.3
396-859	14 mm	190 mm	15	1.7
396-860	15 mm	205 mm	10	1.5
396-861	16 mm	205 mm	10	1.5
396-862	17 mm	225 mm	10	1.6
396-863	18 mm	248 mm	8	1.7
396-864	19 mm	248 mm	5	1.1
396-865	20 mm	270 mm	5	1.3
396-866	21 mm	270 mm	5	1.4
396-867	22 mm	292 mm	10	3.1
396-868	23 mm	314 mm	10	3.7
396-869	24 mm	314 mm	10	3.8
396-625	25 mm	336 mm	6	2.9
396-626	26 mm	336 mm	6	2.9
396-627	27 mm	359 mm	6	3.5
396-628	28 mm	390 mm	9	6.4
396-629	29 mm	390 mm	9	6.4
396-630	30 mm	390 mm	9	6.4
396-631	31 mm	425 mm	6	5.7
396-871	32 mm	425 mm	6	5.7
396-933	33 mm	435 mm	5	5.3
396-934	34 mm	435 mm	5	5.3
396-935	35 mm	455 mm	5	6.0
396-936	36 mm	490 mm	5	7.5
396-937	37 mm	490 mm	5	7.6
396-938	38 mm	490 mm	5	7.6
396-940	40 mm	545 mm	5	9.9
396-941	41 mm	545 mm	5	9.9
396-942	42 mm	545 mm	5	9.9
396-943	43 mm	545 mm	5	9.9
396-944	44 mm	545 mm	5	9.9
396-945	45 mm	545 mm	5	9.9
396-946	46 mm	545 mm	5	9.9
396-948	48 mm	610 mm	5	12.9
396-950	50 mm	610 mm	5	13.7
396-955	55 mm	630 mm	3	11.9
396-960	60 mm	630 mm	3	11.9



Jumbo Combination Wrench
(33 mm and up)


Combination Wrench

■ Combination Wrench – 12 Point

Item No.	Size	Length		KGS
SAE				
396-831	1/4"	128 mm	25	0.6
396-832	5/16"	148 mm	25	1.0
396-833	3/8"	154 mm	20	0.9
396-834	7/16"	167 mm	12	0.7
396-835	1/2"	178 mm	15	1.4
396-836	9/16"	190 mm	15	1.7
396-847	19/32"	205 mm	10	1.3
396-837	5/8"	205 mm	10	1.3
396-838	11/16"	225 mm	10	1.6
396-839	3/4"	248 mm	5	1.0
396-840	13/16"	270 mm	5	1.3
396-841	7/8"	292 mm	10	3.3
396-842	15/16"	314 mm	10	3.9
396-843	1"	336 mm	6	2.9
396-844	1-1/16"	359 mm	6	3.5
396-845	1-1/8"	390 mm	9	6.2
396-846	1-1/4"	425 mm	6	5.7
396-901	1-5/16"	435 mm	5	5.2
396-902	1-3/8"	455 mm	5	6.1
396-903	1-7/16"	497 mm	5	7.5
396-904	1-1/2"	497 mm	5	7.5
396-905	1-5/8"	545 mm	5	9.9
396-906	1-3/4"	545 mm	5	9.9
396-909	2"	610 mm	5	13.4



Jumbo Combination Wrench
(1-5/16" and up)



▶ **12 Point Wrench**

Well designed box end of **GESTAR®** wrenches apply drive on the sides instead of corners, allowing high torque to be applied without damaging the corner of the fasteners.

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Combination Wrench Set



14 Pc. Combination Wrench Set

Item No.			KGS
396-081	Metric	1	2.5

Size : 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm

▲ Canvas Pouch



14 Pc. Combination Wrench Set

Item No.			KGS
396-082	Metric	1	4.5

Size : 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 27, 30, 32 mm

▲ Canvas Pouch



16 Pc. Combination Wrench Set

Item No.			KGS
396-061	Metric	1	4.0

Size : 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm

▲ Canvas Pouch



11 Pc. Combination Wrench Set

Item No.			KGS
396-084	SAE	1	2.0

Size : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

▲ Canvas Pouch



14 Pc. Combination Wrench Set

Item No.			KGS
396-970	SAE	1	4.6

Size : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

1-1/16", 1-1/8", 1-1/4"

▲ Canvas Pouch

Jumbo Combination Wrench Set



■ 8 Pc. Jumbo Combination Wrench Set

Item No.			KGS
396-978	Metric	1	13.4

Size : 33, 34, 35, 36, 38, 41, 46, 50 mm

▲ Canvas Pouch



■ 7 Pc. Jumbo Combination Wrench Set

Item No.			KGS
396-977	SAE	1	12.0

Size : 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"

▲ Canvas Pouch

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Thin Combination Wrench

■ Thin Combination Wrench – 12 Point

Item No.	Size	Length	C		KGS
Metric					
392-106	6 mm	102 mm	3.6 mm	25	0.5
392-107	7 mm	112 mm	4.0 mm	25	0.6
392-108	8 mm	122 mm	4.5 mm	25	0.7
392-109	9 mm	132 mm	4.7 mm	20	0.8
392-110	10 mm	140 mm	4.9 mm	20	0.8
392-111	11 mm	150 mm	5.0 mm	12	0.6
392-112	12 mm	160 mm	5.4 mm	15	1.0
392-113	13 mm	170 mm	5.9 mm	15	1.2
392-114	14 mm	180 mm	6.2 mm	15	1.5
392-115	15 mm	190 mm	6.5 mm	10	1.0
392-116	16 mm	200 mm	6.6 mm	10	1.2
392-117	17 mm	210 mm	6.7 mm	10	1.4
392-118	18 mm	220 mm	7.1 mm	8	1.3
392-119	19 mm	230 mm	7.4 mm	5	0.9
392-120	20 mm	240 mm	7.6 mm	5	1.0
392-121	21 mm	250 mm	7.8 mm	5	1.1
392-122	22 mm	260 mm	8.0 mm	10	2.4
392-123	23 mm	270 mm	8.4 mm	10	2.6
392-124	24 mm	280 mm	8.5 mm	10	2.9
392-125	25 mm	290 mm	8.8 mm	6	1.9
392-126	26 mm	300 mm	9.0 mm	6	2.0
392-127	27 mm	310 mm	9.2 mm	6	2.3
392-128	28 mm	320 mm	9.3 mm	9	3.7
392-129	29 mm	330 mm	9.5 mm	9	4.1
392-130	30 mm	340 mm	9.9 mm	9	4.5
392-132	32 mm	360 mm	10.3 mm	6	3.3
392-133	33 mm	380 mm	11.6 mm	1	0.8
392-134	34 mm	380 mm	11.6 mm	1	0.8
392-135	35 mm	410 mm	13.2 mm	1	1.0
392-136	36 mm	410 mm	13.2 mm	1	1.0
392-137	37 mm	440 mm	14.4 mm	1	1.1
392-138	38 mm	440 mm	14.4 mm	1	1.1
392-141	41 mm	460 mm	14.5 mm	1	1.4
392-142	42 mm	460 mm	14.5 mm	1	1.4
392-143	43 mm	460 mm	14.5 mm	1	1.4
392-144	44 mm	500 mm	15.0 mm	1	1.9
392-145	45 mm	500 mm	15.0 mm	1	1.9
392-146	46 mm	500 mm	15.0 mm	1	1.9
392-148	48 mm	540 mm	16.9 mm	1	2.3
392-150	50 mm	500 mm	15.0 mm	1	1.9



Thin Combination Wrench

Thin Combination Wrench - 12 Point

Item No.	Size	Length	C		KGS
SAE					
392-161	1/4"	102 mm	3.6 mm	25	0.5
392-162	5/16"	122mm	4.5 mm	25	0.6
392-163	3/8"	140 mm	4.9 mm	20	0.8
392-164	7/16"	150 mm	5.0 mm	12	0.6
392-165	1/2"	170 mm	5.9 mm	15	1.0
392-166	9/16"	180 mm	6.2 mm	15	1.4
392-167	5/8"	200 mm	6.6 mm	10	1.2
392-168	11/16"	210 mm	6.7 mm	10	1.3
392-169	3/4"	230 mm	7.4 mm	5	0.9
392-170	13/16"	250 mm	7.8 mm	5	1.1
392-171	7/8"	260 mm	8.0 mm	10	2.4
392-172	15/16"	280 mm	8.5 mm	10	2.7
392-173	1"	290 mm	8.8 mm	6	1.9
392-174	1-1/16"	310 mm	9.2 mm	6	2.3
392-175	1-1/8"	330 mm	9.5 mm	9	4.1
392-176	1-1/4"	360 mm	10.3 mm	6	3.5
392-177	1-5/16"	380 mm	11.6 mm	1	0.8
392-178	1-3/8"	410 mm	13.0 mm	1	1.0
392-179	1-7/16"	410 mm	13.2 mm	1	1.0
392-180	1-1/2"	440 mm	14.4 mm	1	1.1
392-181	1-5/8"	460 mm	14.5 mm	1	1.4
392-182	1-3/4"	500 mm	15.0 mm	1	1.8
392-183	2"	540 mm	16.9 mm	1	2.1



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Thin Combination Wrench Set



■ 14 Pc. Thin Combination Wrench Set

Item No.			KGS
392-081	Metric	1	2.0

Size : 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm

▲ Canvas Pouch

■ 14 Pc. Thin Combination Wrench Set

Item No.			KGS
392-082	Metric	1	3.3

Size : 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 27, 30, 32 mm

▲ Canvas Pouch

Ratcheting Combination Wrench

■ Ratcheting Combination Wrench – 12 Point



Item No.	Size	Length		KGS
Metric				
392-308	8 mm	148 mm	20	0.7
392-309	9 mm	160 mm	12	0.5
392-310	10 mm	167 mm	8	0.5
392-311	11 mm	186 mm	8	0.5
392-312	12 mm	196 mm	10	0.7
392-313	13 mm	205 mm	10	0.9
392-314	14 mm	223 mm	10	1.1
392-315	15 mm	233 mm	8	1.1
392-316	16 mm	243 mm	8	1.0
392-317	17 mm	262 mm	6	1.0
392-318	18 mm	272 mm	6	1.2
392-319	19 mm	281 mm	5	1.2
392-320	20 mm	281 mm	5	1.2
392-321	21 mm	319 mm	5	1.8
392-322	22 mm	319 mm	6	3.5
392-323	23 mm	339 mm	6	3.2
392-324	24 mm	339 mm	6	3.3
392-325	25 mm	339 mm	6	3.3

SAE				
392-344	1/4"	148 mm	20	0.6
392-332	5/16"	148 mm	20	0.7
392-333	3/8"	167 mm	8	0.5
392-334	7/16"	186 mm	8	0.5
392-335	1/2"	205 mm	10	0.9
392-336	9/16"	223 mm	10	1.1
392-337	5/8"	243 mm	8	1.2
392-338	11/16"	262 mm	6	1.0
392-339	3/4"	281 mm	5	1.2
392-340	13/16"	319 mm	5	1.8
392-341	7/8"	319 mm	10	3.5
392-342	15/16"	339 mm	6	3.3
392-343	1"	339 mm	6	3.3



● 72 Teeth design

Helical gear patent device for maximum gear traction.

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Ratcheting Combination Wrench Set

■ 7 Pc. Ratcheting Combination Wrench Set



Item No.			KGS
399-064	Metric	1	1.0

Size : 10, 12, 13, 14, 15, 17, 19 mm

▲ Canvas Pouch

■ 9 Pc. Ratcheting Combination Wrench Set



Item No.			KGS
392-062	SAE	1	1.0

Size : 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

▲ Canvas Pouch

Box End Wrench

■ Box End Wrench – 12 Point

Item No.	Size	Length (mm)		KGS
Metric				
396-115	6 x 7 mm	161	12	0.6
396-127	8 x 9 mm	178	12	0.7
396-128	8 x 10 mm	178	12	0.7
396-130	10 x 12 mm	195	12	0.9
396-132	11 x 13 mm	214	12	1.2
396-134	12 x 14 mm	230	12	1.5
396-137	14 x 17 mm	255	6	1.2
396-138	16 x 17 mm	255	6	1.3
396-140	17 x 19 mm	295	12	3.2
396-143	19 x 21 mm	320	12	4.5
396-145	20 x 22 mm	320	12	4.6
396-146	21 x 23 mm	320	12	4.6
396-148	22 x 24 mm	350	6	2.3
396-149	23 x 26 mm	350	6	3.2
396-150	24 x 27 mm	350	6	3.2

SAE

396-874	1/4" x 5/16"	161	12	0.6
396-876	3/8" x 7/16"	195	12	0.9
396-878	1/2" x 9/16"	230	12	1.5
396-880	5/8" x 11/16"	255	6	1.3
396-881	5/8" x 3/4"	295	12	3.2
396-882	3/4" x 7/8"	310	12	4.5
396-884	13/16" x 7/8"	320	12	4.7
396-886	15/16" x 1"	350	6	3.1

■ Ratcheting Box End Wrench, Convenient Type

Item No.	Size	Length (mm)		KGS
Metric				
392-902	6 x 7 mm	115	24	1.6
392-906	8 x 9 mm	136	24	1.8
392-907	8 x 10 mm	136	12	1.0
392-910	10 x 12 mm	143	12	1.1
392-912	11 x 13 mm	143	12	1.8
392-914	12 x 14 mm	176	6	1.0
392-917	14 x 17 mm	207	6	1.7
392-918	15 x 17 mm	207	6	1.7
392-921	17 x 19 mm	207	6	1.7
392-922	19 x 21 mm	237	6	1.9
392-924	21 x 22 mm	237	6	1.9



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES




75° Offset Box Wrench



■ 75° Offset Box Wrench

Item No.	Size	Length		KGS
Metric				
392-631	6 x 7 mm	168 mm	12	0.29
392-632	8 x 9 mm	183mm	12	0.32
392-633	10 x 11 mm	198 mm	12	0.35
392-634	10 x 12 mm	198 mm	12	0.35
392-635	11 x 13 mm	217 mm	12	0.39
392-636	12 x 13 mm	217 mm	12	0.40
392-637	12 x 14 mm	217 mm	12	0.40
392-638	14 x 15 mm	239 mm	12	0.47
392-639	14 x 17 mm	260 mm	12	0.58
392-640	16 x 17 mm	260 mm	12	0.58
392-641	17 x 19 mm	292 mm	12	0.69
392-642	18 x 19 mm	292 mm	12	0.69
392-643	19 x 21 mm	318 mm	6	0.42
392-644	19 x 22 mm	318 mm	6	0.42
392-645	20 x 22 mm	318 mm	6	0.42
392-646	21 x 23 mm	327 mm	6	0.47
392-647	22 x 24 mm	327 mm	6	0.47
392-648	24 x 26 mm	339 mm	6	0.57
392-649	24 x 27 mm	339 mm	6	0.61
392-650	25 x 28 mm	347 mm	6	0.62
392-651	30 x 32 mm	362 mm	6	0.76

Box End Wrench



■ 6 Pc. Box End Wrench Set

Item No.			KGS
396-095	Metric	1	1.7

Size : 10 x 12, 12 x 14, 14 x 17, 17 x 19, 19 x 21, 23 x 26 mm

▲ Canvas Pouch



■ 8 Pc. Box End Wrench Set

Item No.			KGS
396-091	Metric	1	1.7

Size : 6 x 7, 8 x 9, 10 x 12, 12 x 14, 14 x 17, 17 x 19, 19 x 21, 22 x 24 mm

▲ Canvas Pouch

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Open End Wrench

■ Open End Wrench

Item No.	Size	Length		KGS
Metric				
396-817	6 x 7 mm	123 mm	12	0.3
396-818	8 x 9 mm	140 mm	12	0.5
396-820	8 x 10 mm	140 mm	12	0.5
396-821	10 x 12 mm	156 mm	12	0.8
396-822	12 x 13 mm	156 mm	12	0.8
396-823	12 x 14 mm	180 mm	8	0.8
396-824	14 x 17 mm	190 mm	10	1.1
396-828	17 x 19 mm	221 mm	10	1.7
396-636	19 x 21 mm	237 mm	10	2.3
396-641	21 x 23 mm	247 mm	6	1.5
396-077	22 x 24 mm	247 mm	6	1.6
396-642	25 x 28 mm	247 mm	6	1.5
396-643	30 x 32 mm	247 mm	6	1.6



SAE

396-800	1/4" x 5/16"	123 mm	12	0.4
396-705	5/16" x 3/8"	140 mm	12	0.5
396-801	3/8" x 7/16"	156 mm	12	0.8
396-706	7/16" x 1/2"	172 mm	12	1.0
396-803	1/2" x 9/16"	180 mm	12	1.1
396-806	9/16" x 5/8"	190 mm	12	1.2
396-707	5/8" x 11/16"	204 mm	12	1.5
396-708	5/8" x 3/4"	221 mm	9	1.6
396-808	11/16" x 3/4"	221 mm	9	1.6
396-809	3/4" x 13/16"	237 mm	6	1.3
396-813	3/4" x 7/8"	237 mm	6	1.4
396-812	13/16" x 7/8"	237 mm	6	1.4
396-814	7/8" x 15/16"	247 mm	6	1.6
396-811	15/16" x 1"	263 mm	10	2.7

Open End Wrench



6 Pc. Open End Wrench Set

Item No.			KGS
396-089	Metric	1	0.9

Size : 8 x 9, 10 x 12, 12 x 14, 14 x 17, 17 x 19, 21 x 23 mm

▲ Canvas Pouch



8 Pc. Open End Wrench Set

Item No.			KGS
396-090	Metric	1	1.1

Size : 6 x 7, 8 x 9, 10 x 12, 12 x 14, 14 x 17, 17 x 19, 21 x 23, 22 x 24 mm

▲ Canvas Pouch

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Star Wrench, Flare Nut Wrench



■ Star Wrench

Item No.	Size	Length		KGS
391-381	E6 x E8	110 mm	12	0.3
391-382	E7 x E11	125 mm	12	0.4
391-383	E10 x E12	140 mm	12	0.5
391-384	E14 x E18	180 mm	12	1.1
391-385	E16 x E22	200 mm	12	1.4
391-386	E20 x E24	224 mm	12	2.0



■ Flare Nut Wrench – 6 Point

Item No.	Size	Length		KGS
391-781	8 x 9 mm	132 mm	12	0.6
391-784	10 x 11 mm	151 mm	12	0.8
391-785	10 x 12 mm	151 mm	12	0.9
391-786	11 x 13 mm	166 mm	12	1.1
391-791	14 x 17 mm	191 mm	12	1.9
391-793	16 x 18 mm	191 mm	12	1.9
391-794	17 x 19 mm	215 mm	12	2.3
391-795	19 x 21 mm	235 mm	12	2.8

Hammer Wrench

■ Hammer Wrench – 12 Point



Item No.	Size	Length		KGS
Metric				
392-577	27 mm	190 mm	5	2.3
392-578	30 mm	190 mm	5	2.3
392-579	32 mm	190 mm	5	2.2
392-580	34 mm	190 mm	5	2.2
392-581	36 mm	205 mm	5	3.3
392-582	38 mm	205 mm	5	3.2
392-583	41 mm	240 mm	5	5.6
392-584	42 mm	240 mm	5	5.5
392-585	46 mm	240 mm	5	5.5
392-586	50 mm	255 mm	5	6.6
392-587	55 mm	270 mm	5	8.0
392-588	60 mm	300 mm	4	11.9
392-589	65 mm	300 mm	4	11.9
392-590	70 mm	330 mm	3	10.6
392-591	75 mm	330 mm	3	10.6
392-592	80 mm	360 mm	3	14.9
392-593	85 mm	360 mm	3	14.9
SAE				
392-661	1-1/16"	190 mm	5	2.3
392-662	1-1/8"	190 mm	5	2.3
392-663	1-3/16"	190 mm	5	2.3
392-664	1-1/4"	190 mm	5	2.3
392-665	1-5/16"	190 mm	5	2.3
392-666	1-3/8"	190 mm	5	2.3
392-667	1-7/16"	205 mm	5	2.3
392-668	1-1/2"	205 mm	5	2.3
392-669	1-5/8"	240 mm	5	5.6
392-670	1-11/16"	240 mm	5	5.6
392-671	1-3/4"	240 mm	5	5.6
392-672	1-13/16"	240 mm	5	5.6
392-673	1-7/8"	255 mm	5	6.6
392-674	2"	255 mm	5	6.6
392-675	2-1/16"	270 mm	5	8.0
392-676	2-1/8"	270 mm	5	8.0
392-677	2-3/16"	270 mm	5	8.0
392-678	2-1/4"	300 mm	4	11.9
392-679	2-3/8"	300 mm	4	11.9
392-682	2-7/16"	300 mm	4	11.9
392-680	2-1/2"	300 mm	4	11.9
392-684	2-5/8"	300 mm	4	11.9
392-681	2-11/16"	330 mm	3	10.6
392-683	2-15/16"	330 mm	3	10.6
392-685	3-1/16"	360 mm	3	14.9
392-686	3-1/8"	360 mm	3	14.9

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Double Socket Ratchet Wrench



■ Double Socket Ratchet Wrench

Item No.	Size		KGS
Metric			
391-901	10 x 12 mm	10	2.3
391-902	11 x 13 mm	10	2.3
391-903	10 x 14 mm	10	2.3
391-904	12 x 14 mm	10	2.3
391-905	14 x 15 mm	10	2.9
391-906	13 x 17 mm	10	2.9
391-907	14 x 17 mm	10	2.9
391-908	14 x 19 mm	10	5.0
391-909	17 x 19 mm	10	5.0
391-910	17 x 21 mm	10	5.0
391-911	19 x 21 mm	10	5.0
391-912	17 x 22 mm	10	5.0
391-913	19 x 22 mm	10	5.0
391-914	21 x 22 mm	10	5.0
391-915	19 x 23 mm	10	5.0
391-916	21 x 23 mm	10	8.0
391-917	19 x 24 mm	10	8.0
391-918	22 x 24 mm	10	8.0
391-919	21 x 26 mm	10	8.0
391-920	23 x 26 mm	10	8.0
391-921	21 x 27 mm	10	8.0
391-922	22 x 27 mm	10	8.0
391-923	24 x 27 mm	10	8.0
391-924	24 x 30 mm	10	8.0
391-925	27 x 30 mm	10	13.7
391-926	26 x 32 mm	10	13.7
391-927	27 x 32 mm	10	13.7
391-928	29 x 32 mm	10	13.7
391-929	30 x 32 mm	10	13.7
391-930	30 x 33 mm	10	13.7
391-931	32 x 34 mm	10	13.7
391-932	32 x 35 mm	10	13.7
391-933	30 x 36 mm	10	13.7
391-934	32 x 36 mm	10	13.7
391-935	36 x 38 mm	10	13.7
391-936	36 x 41 mm	10	13.7
391-937	38 x 41 mm	10	13.7
391-938	36 x 46 mm	2	3.7
391-939	38 x 46 mm	2	3.7
391-940	41 x 46 mm	2	3.7
391-941	36 x 50 mm	2	3.7
391-942	38 x 50 mm	2	3.7
391-943	41 x 50 mm	2	3.7
391-944	46 x 50 mm	2	3.7
391-945	41 x 55 mm	2	3.7
391-946	46 x 55 mm	2	3.7
391-947	50 x 55 mm	2	3.7